Printed: 16/06/2005

CLMSPAMD

GB 04743623

CI 1665 PCT

- 6. A system according to any preceding claim further comprising one or more heat exchangers (5) to remove heat from the hydrogen released from the first (1) or second (2) hydrogen storage materials.
- 7. A system according to any preceding claim, wherein the first hydrogen storage material (1) comprises an AB₅, AB₂ or an AB type material.
- 8. A system according to claim 7, wherein the first hydrogen storage material (1) is LaNi₅, Al doped LaNi₅, CeNi₅, Al doped CeNi₅, CaNi₅, Mn doped CaNi₅, TiVMn, Zr doped TiCrMn, Zr doped TiCr₂, Co doped TiV₂, Fe/Ti, Ti/Zr, Ti(MnV) and Ti(MnCr), or any combination thereof.
- 9. A system according to any preceding claim, wherein the second hydrogen storage material (2) comprises Mg.
- 10. A system according to claim 9, wherein the second hydrogen storage material(2) comprises PGM.
- 11. A system according to claim 9 or 10, wherein the second hydrogen storage material (2) is MgH₂ or Mg H₂/Ni, or any combination thereof.
- 12. A system according to any preceding claim, wherein the hydrogen consumption system (3) comprises a fuel cell.
- 13. A system according to any of claims 1 to 11, wherein the hydrogen consumption system (3) comprises an internal combustion engine.
- 14. A vehicle, the vehicle comprising a system according to claim 12 or claim 13 as a power source.
- 15. A method of activating a second hydrogen storage material (2) for supplying a hydrogen consumption system (3), which method comprising utilising at least a

CI 1665 PCT

10

proportion of a stream of hydrogen generated by activating a separate first hydrogen storage material (1).